


Mobile lighting concepts

LED recessed spots	215
Halogen recessed and surface mounted spots	216 – 217
Reading lights	218
Ceiling light / Cupboard light	219

 **Dometic**
THE SIGN OF COMFORT



NEW



Light sources – “highlights” on board

Light brightens up rooms, helps our sense of orientation and adds to our safety. Light is also an ideal design element: it creates individual accents, atmosphere and comfort. No matter what your ideas are, you ought to realise them with lights by Dometic. They have been specially designed for mobile use, work from a 12-volt supply and provide a host of application possibilities. What's more, they offer high product quality, innovative design and a long service life.


You decide whether halogen spots, fluorescent lamps or energy-saving LED technology are part of your personal lighting concept. The choice includes flexible surface mounted and elegant recessed spots as well as custom-made ceiling-, wall- and cabinet-mounted lights. Our aim is to give you the broadest possible choice of light sources to ensure that you feel just as comfortable on board as you do at home.

- **LED recessed spots**
Extremely low energy consumption, low heat generation. Gentle room or reading light for a perfect fit. Available in chrome or gold.
- **Halogen recessed and surface mounted spots**
Bright and pleasant halogen light, partly pivoting. Compact design permits fitting in narrow spaces. Available in two different colours.
- **Reading lights**
Indispensable for map reading. Pivoting or swivelling to cast light where it is needed. Available in surface-mounted or swan neck version.
- **Ceiling light**
Radiates even and pleasant room light or soft night light. Unobtrusive, elegant design in chrome or gold.
- **Cupboard light**
Comes on when the cabinet door is opened and illuminates the coat rack. Easy mounting even where space is very limited.

Dometic LIGHT L02RM

LED recessed spot for decorative lighting, chrome

3.35



chrome

Voltage	12 volts DC
Output	0.2 watts
Lamp	LED
Cable length	10 cm
Safety clearance	No [low heat generation]
Material	Metal Glass
Colour	Chrome
Dimensions [ØxD]	47 x 32 mm Installed depth: 50 mm
Weight	30 g
Quality features	Small LED spot for hatchway illumination or as under-mount lighting, extremely low energy consumption [0.2 W] with LED, low heat generation
IP class	20
Test mark	CE

Scope of delivery: LED recessed spot, installation instructions, lamp


Product	Ref. No.
Dometic LIGHT L02RM, chrome	9106500003

- NEW**
- Extremely low energy consumption
- Low heat generation
- Fastening with double leg springs
- For decorative illumination

Dometic LIGHT L1RM

LED recessed spot for use as a reading light, chrome or gold

3.35



chrome



gold

Voltage	12 volts DC
Output	1 watts
Lamp	Power LED
Cable length	10 cm
Safety clearance	No [low heat generation]
Material	Plastic Glass
Colour	Chrome or gold
Dimensions [ØxD]	70 mm x 25 mm Installed depth: 50 mm
Weight	40 g
Quality features	Consumes little energy [1 watt], light output comparable to a 10 W lamp, low heat generation
IP class	20
Test mark	CE

Scope of delivery: LED recessed spot, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT L1RM, chrome	9106500007
Dometic LIGHT L1RM, gold	9106500008
Optional extra Power LED spare lamp	9106500016

- NEW**
- Extremely low energy consumption
- Low heat generation
- Fastening with double leg springs
- Can be used as a reading light

Dometic LIGHT H10RM

Recessed spot with bezel, chrome or gold

3.35



chrome



gold

Voltage	12 volts DC
Output	10 watts
Lamp	G4 halogen lamp, 10 watts
Cable length	10 cm
Safety clearance	10 cm
Material	Plastic Bezel of acrylic glass
Colour	Chrome or gold
Dimensions [ØxD]	70 x 25 mm, glass body: Ø 80 mm Installed depth: 60 mm
Weight	70 g
Quality features	Room light, can be combined with Dometic LIGHT H10TM surface mounted spot
IP class	20
Test mark	CE

Scope of delivery: recessed spot, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT H10RM, chrome	9106500005
Dometic LIGHT H10RM, gold	9106500006

NEW

Fastening with
double leg springs


Neat installation

Can be used for
room illumination


Dometic LIGHT H10B

Recessed eyeball spot, swivel-mount, chrome or gold

3.35



chrome



gold

Voltage	12 volts DC
Output	10 watts
Lamp	MR16 halogen lamp, 10 watts
Cable length	10 cm
Safety clearance	20 cm
Material	Metal Glass
Colour	Chrome or gold
Dimensions [ØxD]	85 x 70 mm
Weight	180 g
Quality features	Reading light, swivel-mount
IP class	20
Test mark	CE

Scope of delivery: recessed spot, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT H10B, chrome	9106500009
Dometic LIGHT H10B, gold	9106500010

NEW

Fastening with
double leg springs

Swivels into
various positions

Can be used as a
reading light

Dometic LIGHT H10TM

Surface mounted spot for use as a reading light or for soft ambient illumination, chrome or gold

3.35



chrome



gold

Voltage	12 volts DC
Output	10 watts
Lamp	MR16 halogen lamp, 10 watts
Cable length	10 cm
Safety clearance	20 cm
Material	Plastic Ring of acrylic glass
Colour	Chrome or gold
Dimensions	Glass body: Ø 80 mm, foot: Ø 75 mm, Height: 130 mm
Weight	130 g
Quality features	Reading light or soft ambient illumination, ON/OFF switch, fastening with 2 screws, pivots 120°, swivels 90°
IP class	20
Test mark	CE

Scope of delivery: surface mounted spot, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT H10TM, chrome	9106500002
Dometic LIGHT H10TM, gold	9106500001

NEW

ON/OFF switch

Fastening with
two screws

Pivots [120°] and
swivels [90°]

Can be used as a
reading light or for
ambient illumination



Dometic LIGHT H10S

Swan neck spot for use as a reading light, pivoting/swiveling, silver or gold

3.35



Voltage	12 volts DC
Output	10 watts
Lamp	G4 halogen lamp, 10 watts
Cable length	10 cm
Safety clearance	10 cm
Material	Metal, plastic Glass
Colour	Silver or gold
Dimensions [ØxD]	75 x 295 mm Glass body: Ø 40 mm x 70 mm Foot: Ø 75 mm
Weight	160 g
Quality features	Reading light, ideal for map-reading, flexible neck pivots and swivels in all directions, ON/OFF switch, concealed fastening with base plate
IP class	20
Test mark	CE

NEW

ON/OFF switch

Pivots and swivels in all directions

Can be used as a reading light


Scope of delivery: swan neck spot, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT H10S, silver	9106500014
Dometic LIGHT H10S, gold	9106500015

Dometic LIGHT Smart Spot L1TM

Surface mounted spot for use as a reading light, swivel-mount, new design

3.35



Voltage	12 volts DC
Output	1 watt
Lamp	LED
Cable length	20 cm
Safety clearance	No [low heat generation]
Material	Plastic
Colour	Silver
Dimensions [WxHxD]	50 x 50 x 130 mm
Weight	80 g
Quality features	Reading lamp, swivels 45°, pivots 45°, ON/OFF switch, concealed fastening with base plate
IP class	20
Test mark	CE

NEW

Extremely low energy consumption

Low heat generation

ON/OFF switch

Pivots and swivels [45° each]

Can be used as a reading light


Scope of delivery: surface mounted spot, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT Smart Spot L1TM	9106500017

Dometic LIGHT F16TM

Ceiling light, chrome or gold

3.35



Voltage	12 volts DC
Output	16 watts
Lamp	2d fluorescent lamp, 4-pin, 16 watts
Cable	Connection inside
Material	Frame: metal Lens: plastic
Colour	Chrome or gold
Dimensions [ØxH]	280 x 45 mm
Weight	460 g
Quality features	Uniform room lighting, night light function, concealed fastening with 3 screws, without switch
IP class	20
Test mark	CE

NEW

Concealed fastening with three screws

Easy installation and lamp replacement

Pleasant, uniform room lighting

Night light function

Scope of delivery: ceiling light, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT F16TM, chrome	9106500011
Dometic LIGHT F16TM, gold	9106500012

Dometic LIGHT H5C

Cupboard light

3.35



Voltage	12 volts DC
Output	5 watts
Lamp	G4 halogen lamp, 5 watts
Cable length	10 cm
Safety clearance	10 cm
Material	Frame: plastic Lens: plastic
Colour	Black
Dimensions [WxHxD]	90 x 70 x 60 mm
Weight	90 g
Quality features	Comes on when the cabinet door is opened, easy installation with two screws
IP class	20
Test mark	CE

NEW

Easy installation even in confined spaces

Turns on automatically when the cabinet door is opened

Scope of delivery: cabinet light, installation instructions, lamp

Product	Ref. No.
Dometic LIGHT H5C	9106500013