


CONTENTS - INTERACTIVE

LOCATION & WINDOW ID




DIMENSION TYPE - WIDTH & DROP




FABRIC OPTIONS




COLOUR OPTIONS



FIXING POSITION



HOLD DOWN OPTIONS



CUSTOMISED





LOCATION & WINDOW ID

Window Info


Location

Window ID

Quantity Required To avoid confusion, Dometic number blinds using the following method to identify the **Location** (number) of the windows (see below). The naming below can also be used for the **Window ID**. A photograph of the window recess submitted with the order is also helpful to ensure correct design and operation of the blind.


Also enter the **Quantity Required** if you need a number of identical blinds. If you need different options use different sections.


WARNING: Powered blinds should NOT be used in front of, or below Emergency Exits.





DIMENSION TYPE – WIDTH & DROP





- 1. Please provide either fabric and overall measurement.
- 2. Width (X): Min 300mm $(11^{7/8})$ Max 1900mm $(74^{7/8})$ depending on fabric.
- 3. Maximum drop (Y) depends on fabric thickness. See page 5 for fabric options.

21/12/2023




FABRIC OPTIONS


| Fabric Options (4) |
|--------------------|
| Fabric |

Fabric Options Table


| FABRIC ID | FABRIC DESCRIPTION | FABRIC DROP (Y) mm Top Fix | FABRIC DROP (Y) mm Face Fix |
|-----------|-----------------------|-------------------------------|-----------------------------|
| RS9 | MOONLIGHT WHITE | 934 | 1204 |
| SLR-B | SOLAR BEIGE | 1340 | 1500 |
| SLR-W | SOLAR WHITE | 1340 | 1500 |
| TBO-RL010 | NIGHT WHITE | 1182 | 1500 |

COLOUR OPTIONS






FIXING POSITION



^> DOMETIC

HOLD DOWN OPTIONS

| Hold Down Options | | Hold Down Colour | | |
|---------------------------------------|--|---------------------|--|--|
| Minigrip Toggle Long Toggle Pegs None | | White Grey | | |
| Midway Pegs | | | | |
| Yes | | | | |




| Hold Downs Supplied | | | | | | | | |
|---------------------|-----------|---------|------|------------------|------|--|--|--|
| Hold Down Option | Mini Grip | Toggle | Pegs | Optional Pegs | None | | | |
| No. Supplied | 1 or 2* | 1 or 2* | 2 | 2 | 0 | | | |

Midway pegs can be used in addition to other hold down options for deploying the blind halfway.

*Blinds over 800mm (31 $\frac{1}{2}$ ") wide have two hold downs (All dimensions converted to the nearest 1/8". If sizes are critical, please use metric measurements).

CUSTOMISED



- NON STANDARD
 - Use this option for a bespoke design outside of the previous options.
 - Drawing created by Dometic to be approved.
- FABRIC ASSEMBLY
 - replacement tube & fabric available

21/12/2023



