



THE ULTIMATE SOLUTION FOR SHAPED WINDOWS



Ideal for shaped and inclined yacht windows, Skysol Classic pleated blinds are custom designed for a seamless fit. Whatever your needs – from gentle light to complete blackout, warm comfort to cool shade, discrete shading to total privacy – pleated blinds can be designed to create a range of moods. With a bespoke style, the UV resistant and marine-ready pleated blinds have been engineered to reduce maintenance bills by keeping excessive heat out in warmer climates, and retaining warmth in colder environments.

BENEFITS WITH SKYSOL CLASSIC

- Retains heat in colder climates or blocks excessive heat in hot climates
- Powered operation available with 12 V DC or 24 V DC. Hand held remote or integration into the control system
- Low profile head rail for discrete look
- Available with white, beige, black or grey hardware to suit yacht interior
- Range of 20mm pleated fabrics in sheer, privacy and blackout types.
- 16 shapes suitable for any window type
- Suitable for inclines of any angle

SPECIFICATIONS


POWERED CONTROLS	Custom Powered & Headrail Options Available				
MANUAL CONTROLS	Pull Cord				
	Fixed Handle				
FABRIC	Pleated	Privacy			
	Honeycomb	Sheer			
	Collection Specified	Blackout			
HARDWARE	Beige				
	White				
	Graphite				
	Black				
FIXINGS	Face Fix				
	Top Fix				
RESTRAINTS	Free Hangling				
	Guide Wires				
HOLD DOWNS	Chrome Dome				
	Footplates				
SHAPING OPTIONS	Rectangle	Rectangle W/ Corner C			
	Parallelogram	Single-Sided Pointnose			
	Single Sided Shape	Acute Edge			
	Single Sided Bullnose	Low Acute Edge			
	Pointnose & Acute Edge	Inverted Trapezoid			
	Bullnose & Acute Edge	Scalene Triangle			
	Pointnose & Obtuse Edge	Right-Angle Triangle			
	Rectangle W/ Sloped Top	Trapezoid			
	Rectangle W/ Sloped Botton	n			
ANGLE SUITABILITY	AO (0°)	DB (30° - 60°)			
	AO-DB (0° - 20°)	DBE (30° - 60°)			
	AO-DBE (0° - 20°)	PB (60° - 90°)			



THE ULTIMATE SOLUTION FOR SHAPED WINDOWS



SKYSOL CLASSIC PLEASE USE AS GENERAL GUIDE FOR SHAPED O TECHNICAL DATA	PTIONS			
PRODUCT CODE: PB2	MANUAL		POWERED	
Min Width (X)	106mm (4 ^{3/4} ") 306mm (12 ^{1/16} ")		306mm (12 ^{1/16"})	
Min Width (X) Type AO Blinds	N/A	N/A 506mm (19 ^{15/16} ")		506mm (19 ^{15/16} ")
Min Drop (Y)	100mm (3 ^{15/16} °)			
Max Area (Sq.M.)	4		N/A	
Max Width (X)	4400mm (173 ^{1/4} °)			
	If Width (X) ← 1000mm	If Width (X) 100	lmm} 2700mm	If Width (X) 2701mm 4400mm
Max Drop (Y)	5200mm (204 ^{3/4} ")	3500mm	(137 ^{13/16} ")	2200mm (86 ^{5/8} ")
	Headrail Fitting Allowance Depth			
Top Fix	50mm (2")			70mm (2 ^{3/4} ")
Face Fix	26mm (1")			33mm (1 ^{5/16} ")



THE ULTIMATE SOLUTION FOR SHAPED WINDOWS




SHAPING GUIDE




Shape 00 (Simple-Shape) Rectangle




Shape 01 Parallelogram




Shape 02
Single Sided Shape
Honeycomb: Bottom-Stack Only




Shape 03
Single Sided Bullnose
Recommended with Top-Stack
Honeycomb: Bottom-Stack Only




Shape 04
Pointnose & Acute Edge




Shape 05 Bullnose & Acute Edge



Shape 06 Pointnose & Abtuse Edge




Shape 07 (Simple-Shape) Rectangle W/ Corner Cut



Shape 08 Single Sided Pointnose




Shape 09 (Simple-Shape)
Acute Edge
Honeycomb: Top-Stack Only




Shape 10 (Simple-Shape)
Low Acute Edge
Honeycomb: Top-Stack Only



Shape 11 (Simple-Shape) Inverted Trapezoid Recommended with Top-Stack Honeycomb: Top-Stack Only



Shape 12 (Simple-Shape)
Scalene Triangle
Recommended with Quick-Tension
Cording & Fixed Rail




Shape 13 (Simple-Shape)
Right-Angle Triangle
Recommended with Quick-Tension
Cording & Fixed Rail



Shape 14 (Simple-Shape) Rectangle W/ Sloped Top



Shape 15
Trapezoid
Recommended with Bottom-Stack
Honeycomb: Bottom-Stack Only



Shape 16 (Simple-Shape) Rectangle W/ Sloped Bottom